572530

# Final Technical Report Polar Magnetic Field Data Principal Investigator: C. T. Russell (10/1/98 – 09/30/01) National Aeronautics and Space Administrator NASA NAG5-7721

#### **ACHIEVEMENTS**

#### 1. Technical

At this writing we have received all the CDROMs for the grant period. We have completed generating our timing tables past September 20, 2001. The calibration of the instrument has been checked for the entire mission up to the end of December 2000 and the key parameters provided to the project until the end of December 2000. These data are available to other experimenters over the web at http://www-ssc.igpp.ucla.edu/forms/polar/. High resolution despun data, 8 samples per sec, have been created up to November, 2000 and have been made available to the community over the world wide web. This is a new data set that was a major effort this year.

Our near term plans are to continue to provide key parameter data to the Polar project with the highest possible speed and to continue to reduce all high resolution magnetometer data and provide these data to the scientific community over the web. We have begun to produce an improved set of key parameter data with the unaliased averages of the high resolution data. In addition this new key parameter data set has an improved detrending algorithm that removes the Earth's field prior to calculating the standard deviations. We will submit all of the key parameter and high resolution data to the NSSDC. We have one important lien on our processing, because we have an improved key parameter data processing routine and it is a significant improvement, we need to redo the entire first four years Polar processing. Because of our one year backlog we cannot work at removing this lien at this time.

#### 2. Science

The orbit of the Polar spacecraft is uniquely suited for studying the high altitude polar cusp and many of the papers published during the period of the grant concern this region. The titles of papers published in journals and books and those presented at meetings using the fluxgate magnetometer data can all be found at the website http://www-ssc.igpp.ucla.edu/polar/polarresults.html. Only the papers that were published or presented during the period of the grant are listed in the bibliographies below. Many of the papers published are also available on-line in their entirety at http://www-ssc.igpp.ucla.edu/polar/papers.html. Herein we discuss only the published papers. The numbers in square brackets [] refer to papers in the Polar bibliography below in which only the papers for the reporting period are listed. The second bibliography lists the papers presented during the reporting period.

#### 2.1 Magnetospheric Regions

#### 2.1.1 The Polar Cusp

The polar cusp was one of the prime targets of the Polar mission. It became immediately obvious that our models overpredicted the strength of the magnetic field in this region. The reason for this is most probably that the shape of the magnetopause near the cusp is different than assumed in the T96 model [30]. Other properties of the cusp were shown to be similar at high altitudes and at low altitudes. The location of the cusp was shown to vary with dipole tilt angle as seen by Triad and other low altitude spacecraft [22]. The cusp was found to move increasingly equatorward for increasingly southward IMF but moved only slightly for northward IMF. Further the cusp was pulled dawnward and duskward by the IMF By component [34]. One aspect of the cusp that had not been reported in the low altitude data was that the component of the solar wind dynamic pressure directed into the cusp controls the thermal pressure of the cusp plasma [53]. Thus the tilt angle of the cusp and the solar wind dynamic pressure jointly determine the cusp pressure. We have also compared the properties of the cusp with those expected from models and simulations [52] including a case study of the cusp under northward IMF conditions [65]. We have also studied the ion cyclotron waves of the cusp [62] and the behavior of ion conics [66].

#### 2.1.2 Field-Aligned Currents

The strength and the pattern of field-aligned currents seen at low altitudes was quicky confirmed at high altitude by Polar. It was also shown that the strength of these currents is controlled by the north-south orientation of the IMF and not by the solar wind dynamic pressure [45]. This is particularly important to the ion outflow process and the interpretation of these observations.

#### 2.1.3 Plasma sheet

The study of the plasma sheet has been led by team member C. Cattell and her colleagues at University of Minn. They showed that there were large parallel electric fields in the plasma sheet boundary layer, calculated the velocity of solution wave packets in this boundary [21] and showed that the large Poynting flux there can power the aurora [47]. More recent work has concentrated on the large flux of Alfven waves [49] and the large electric fields in the plasma sheet [54]. Most recently she has examined solitary waves at the plasma sheet boundary [64].

## 2.2 Magnetospheric Activity

#### 2.2.1 Storms

Soon after the initial data were studied it was clear that the ring current could be monitored by studying Polar data as it crossed the polar cap. By studying the conditions leading up to the September 24, 25 magnetic storm we showed that it was steady southward and not oscillating fields that led to the build up of the ring current [43]. Also by comparing with FAST measurements we were able to show that strong field-aligned currents lead to ion mass ejection and not dynamic pressure fluctuations [48]. The ring current was shown to be quite insensitive to the dynamic pressure of the solar wind [46]. On the day the solar wind nearly disappeared the

pre-existing ring current remained unchanged. As a follow on to the study of the September 24, 25, 1998 storm, we also examined the potential drop across the polar cap as a function of the IEF for a number of very large storms and demonstrated that the polar cap potential drop saturated [56]. This has extremely important implications for the formation of the ring current. We also examined the magnetopause and magnetotail during the May 4, 1998 storm [59].

#### 2.2.2 Magnetospheric Compressions

The magnetosphere becomes compressed when the solar wind dynamic pressure increases. Interesting dynamics occurs when the increase occurs rapidly as across an interplanetary shock. One such occurrence was on September 24, 1998 when the first evidence for an ionospheric mass ejection was discovered [24,25]. Part of the signature was due to the motion of the spacecraft in a layered plasma [25] and part was due to centrifugal acceleration [42]. Some was due to the acceleration of ionospheric ipalsma and this acceleration may be controlled by the Poynting flux in field-aligned currents [48]. Studies of the May 4, 1998 storm showed that the solar wind was on occasion strong enough to compress the magnetosphere inside Polar's apogee. In fact even the bow shock moved inside Polar on this day [32]. Studies in support of the September 24, 25, 1998 storm also showed that the multiple spacecraft of the ISTP program could accurately determine the shock speed, orientation and strength [50]. This study has been continued along two separate paths. We have followed the preliminary reverse impulse triggered by these shocks and shown them to be good probes of the density of the magnetosphere, just like seismic signals in the Earth [59]. Also we have studied the compressional response of the magnetosphere over the entire volume of the magnetosphere [60].

#### 2.2.3 Waves

Our study of waves concentrated on their energy source. In one case a northward turning IMF apparently triggered a field-aligned resonance. On the day the solar wind nearly disappeared the shock weakened and moved outward from the magnetosphere. Simultaneously the wave level in the magnetosphere dropped [46]. We attribute this to the lessening of upstream wave activity and the subsequent reduction in the buffeting of the magnetosphere. We have also as discussed above studied the occurrence of ion cyclotron waves in the cusp [62].

#### 2.2.4 Substorms

Even in its initial orbit Polar could contribute to the study of substorms. These observations were obtained both in the high altitude polar cap where the field strength and orientation depend on the shape of the mangetopause and on field lines connected to the auroral oval [51]. We expect increasingly detailed studies of substorms as the line of apsides approaches the magnetic equator.

#### 3. Processes

#### 3.1 Reconnection

Arguably the most important process in energizing the magnetosphere is reconnection and this process has been the subject of intense study by the Polar community. Perhaps the greatest effort ahs been expended on an encounter of Polar with the high latitude magnetopause on May 29, 1996 when the IMF was northward. We established the overall geometery of the magnetosphere during this event with our data and MHD models and showed that it represented an example of post-cusp reconnection. By comparing with Interball data we showed that the same geometry persisted for several hours in local time and in universal time. Working with J. D. Scudder we showed that the Walen relation across rotational discontinuities was as predicted for electrons but that the observed ion behavior differed from the "standard" theory [28]. We also showed that the reconnection site varies with the IMF By and Bz [34]. We also provided an alternate interpretation of particle distributions that had been claimed as indicating that the reconnection of parallel magnetic fields could occur [37]. This alternate explanation preserves the classical understanding of reconnection.

#### 3.1.1 Particle Acceleration

One of the most controversial areas of work on Polar concerns the role of the polar cusp in the acceleration of highly energetic particles near the Polar cusp. We have helped both sides in this controversy present their cases, both for this mechanism [26] and against it [36.63]. We have also been studying the auroral acceleration processes in comparison of Polar and FAST data [61].

#### 3.2 Magnetospheric Models

## 3.2.1 Comparisons with Magnetic field Models

Some of the main workhorses of magnetospheric research have been the series of magnetic field models of Tsyganenko. One of the first tasks we undertook, both independently and in conjunction with Tsyganenko, was to compare Polar data with this model. We found that near the polar cusp the model overestimated the magnetic field strength possibly due to a difference between the actual shape of the magnetopause and that assumed in the model in the region of the cusp [30]. We found that the model does not respond as strongly to a dynamic pressure increase as observed [10]. We found that field-aligned current sheets are much more narrow than predicted in the models [10], and we found that the perturbation magnetic field in the inner magnetosphere has a strong noon-midnight and dawn dusk asymmetry [27]. We have also compared the Tsyganenko Field model with predictions from MHD [57].

#### 3.2.2 MHD Simulations

Since MHD simulations are increasingly being used to understand and interpret magnetospheric behavior it is important to validate these models. First we were able to show at a sensitive region of the magnetosphere that the MHD model accurately predicts the magnetic and plasma structure including the boundary location and currents. We showed that the MHD model was successful in predicting the time evolution of the magnetosphere when accurate time varying boundary conditions were employed. We also showed that some current sheets were much thinner than predicted by the MHD model. As noted above the predictions of MHD models have

been compared with the empirical model of Tsyganenko [57] and made a detailed study of the cusp on April 11, 1997 when the IMF was strongly northward [65].

4. Summary Table of presentations by FY

Table 1. Summary of Presentations and Publications by Year

Papers by Type	FY 96	FY 97	FY 98	FY 99	FY 00	FY 01
Presentations	2	51	33	52	37	42
First Author Pub.	1	4	6	4	11	2
Co-author Pub.	0	11	8	7	6	5

# Papers in Journals and Books using Polar Magnetometer Data (10/1/98 – 10/1/2001)

- 19. N. C. Maynard, W. J. Burke, D. R. Weimer, F. S. Mozer, J. D. Scudder, C. T. Russell and W. K. Peterson, Dayside electrodynamics observed by Polar with northward IMF, in <u>Geospace Mass and Energy Flow: Results from the International Solar-Terrestrial Physics Program</u>, 13-23, AGU, Washington DC, 1998.
- 20. N. C. Maynard, W. J. Burke, D. R. Weimer, F. S. Mozer, J. D. Scudder, W. K. Peterson, R. P. Lepping and C. T. Russell, Polar observations of cusp electrodynamics: Evolution from 2-to 4-cell convection patterns, in Polar Cap Boundary Phenomena, J. Moen et al. (eds.), 157-172, Kluwer Academic Publ., 1998.
- 21. C. A. Cattell, J. Dombeck, J. R. Wygant, M. K. Hudson, F. S. Mozer, M. A. Temerin, W. K. Peterson, C. A. Kletzing, C. T. Russell and R. F. Pfaff, Comparisons of Polar satellite observations of solitary wave velocities in the plasma sheet boundary and the high altitude cusp to those in the auroral zone, <u>Geophys. Res. Lett.</u>, <u>26</u>, 425-428, 1999.
- 22. X-W. Zhou, C. T. Russell, G. Le, S. A. Fuselier and J. D. Scudder, The polar cusp location and its dependence on dipole tilt, <u>Geophys. Res. Lett.</u>, <u>26</u>, 429-432, 1999.
- 23. C. Whipple, D. L. Starr, J. S. Halekas, J. D. Scudder, R. D. Holdaway, J. B. Faden, P. Puhl-Quinn, N. C. Maynard and C. T. Russell, Magnetospheric electric fields from ion data, Geophys. Res. Lett., 26, 1561-1564, 1999.
- 24. T. E. Moore, W. K. Peterson, C. T. Russell, M. O. Chandler, M. R. Collier, H. L. Collin, P. D. Craven, R. Fitzenreiter, B. L. Giles and C. J. Pollock, Ionospheric mass ejection in response to a CME, Geophys. Res. Lett., 26, 2339-2342, 1999.
- 25. C. T. Russell, X. W. Zhou, P. J. Chi, H. Kawano, T. E. Moore, W. K. Peterson, J. B. Cladis and H. J. Singer, Sudden compression of the outer magnetosphere associated with an ionospheric mass ejection, <u>Geophys. Res. Lett.</u>, <u>26</u>, 2343-2346, 1999.
- 26. T. A. Fritz, J. S. Chen, R. B. Sheldon, H. E. Spence, J. F. Fennell, S. Livi, C. T. Russell and J. S. Pickett, Cusp energetic particle events measured by POLAR spacecraft, <a href="https://phys.chem.">Phys. Chem.</a>

- Earth, Part C, 24, 135-140, 1999.
- 27. N. A. Tsyganenko, G. Le, C. T. Russell and T. Iyemori, A study of the inner magnetosphere based on data of Polar, <u>J. Geophys. Res.</u>, <u>104</u>, 10,275-10,283, 1999.
- 28. J. D. Scudder, P. A. Puhl-Quinn, F. S. Mozer, K. W. Ogilvie, and C. T. Russell, Generalized Walén tests through Alfvén waves and rotational discontinuities using electron flow velocities, J. Geophys. Res., 104, 19,817-19,833, 1999.
- 29. C. T. Russell, Magnetic stress in solar system plasmas, Aust. J. Phys., 52, 733-751, 1999.
- 30. N. A. Tsyganenko, and C. T. Russell, Magnetic signatures of the distant polar cusps: Observations by Polar and quantitative modeling, <u>J. Geophys. Res.</u>, <u>104</u>, 24,939-24,955, 1999.
- 31. J. S. Pickett, D. A. Gurnett, J. D. Menietti, M. J. LeDocq, J. D. Scudder, L. A. Frank, J. B. Sigwarth, K. L. Ackerson, D. D. Morgan, J. R. Franz, P. M. Kintner, B. T. Tsurutani, C. M. Ho, J. Chen, T. A. Fritz, C. T. Russell, W. K. Peterson, Y. Kasahara, I. Kimura, S. Watanabe, G. G. Arkos, G. Rostoker, S. Kokubun, H. Fukunishi, R. F. Pfaff, F. S. Mozer, S-Y. Hsieh, T. Mukai and M. O. Chandler, Plasma waves observed during cusp energetic particle events and their correlation with polar and akebono satellite and ground data, <u>Adv. Space Res.</u>, <u>24</u>(1), 23-33, 1999.
- 32. C. T. Russell, G. Le, P. Chi, X.-W. Zhou, J.-H. Shue, S. M. Petrinec, P. Song, F. R. Fenrich and J. G. Luhmann, The extreme compression of the magnetosphere on May 4, 1998 as observed by the Polar spacecraft, in <u>Coordinated Measurements of Magnetospheric Processes</u>, <u>Adv. Space Res.</u>, <u>25</u>(7/8), 1369-1375, 2000.
- 33. C. T. Russell, The polar cusp, in <u>Coordinated Measurements of Magnetospheric Processes</u>, <u>Adv. Space Res.</u>, <u>25</u>(7/8), 1413-1424, 2000.
- 34. X-W. Zhou, C. T. Russell, G. Le, S. A. Fuselier and J. D. Scudder, Solar wind control of the polar cusp at high altitude, <u>J. Geophys. Res.</u>, <u>105</u>, 245-251, 2000.
- 35. X-W. Zhou, C. T. Russell and G. Le, Local time interplanetary magnetic field B<sub>y</sub> dependence of field-aligned currents at high altitudes, <u>J. Geophys. Res.</u>, <u>105</u>, 2533-2539, 2000.
- 36. S-W. Chang, J. D. Scudder, J. F. Fennell, R. Friedel, R. P. Lepping, C. T. Russell, K. J. Trattner, S. A. Fuselier, W. K. Peterson and H. E. Spence, Energetic magnetospheath ions connected to the Earth's bow shock: Possible source of cusp energetic ions, <u>J. Geophys. Res.</u>, 105, 5471-5488, 2000.
- 37. C. T. Russell, G. Le and S. M. Petrinec, Cusp observations of high- and low-latitude reconnection for northward IMF: An alternate view, <u>J. Geophys. Res.</u>, <u>105</u>, 5489-5495, 2000.
- 38. C. T. Russell, Reconnection in planetary magnetospheres, Adv. Space Res., 26(3), 393-404,

- 39. C. T. Russell, POLAR eyes the cusp, in <u>Proceedings of the Cluster-II Workshop:</u> <u>Multiscale/Multipoint Plasma Measurements</u>, <u>ESA SP-449</u>, edited by R. A. Harris, p47-55, European Space Agency, Noordwijk, 2000.
- 40. A. Pedersen, C.-G. Faelthammar, N. Maynard, F. Mozer, R. Pfaff, B. Popielawska and C. T. Russell, Turbulent structures in the outer cusp, in <u>Proceedings of the Cluster-II Workshop: Multiscale/Multipoint Plasma Measurements</u>, <u>ESA SP-449</u>, edited by R. A. Harris, p291-294, European Space Agency, Noordwijk, 2000.
- 41. S. Savin, N. Maynard, I. Sandahl, H. Kawano, C. T. Russell, L. Zelenyi and V. Romanov, IACG boundary layer campaign: Current status and Cluster-II perspectives, in <a href="Proceedings of the Cluster-II Workshop: Multiscale/Multipoint Plasma Measurements">Multiscale/Multipoint Plasma Measurements</a>, <a href="ESA SP-449">ESA SP-449</a>, edited by R. A. Harris, p335-338, European Space Agency, Noordwijk, 2000.
- 42. J. B. Cladis, H. L. Collin, O. W. Lennartsson, T. E. Moore, W. K. Peterson and C. T. Russell, Observations of centrifugal acceleration during compression of magnetosphere, <u>Geophys.</u> Res. <u>Lett.</u>, <u>27</u>, 915-918, 2000.
- 43. C. T. Russell, G. Lu and J. G. Luhmann, Lessons from the ring current injection during the September 24, 25, 1998 storm, Geophys. Res. Lett., 27, 1371-1374, 2000.
- 44. E. Zesta, H. J. Singer, D. Lummerzheim, C. T. Russell, L. R. Lyons and M. J. Brittnacher, The effect of the January 10, 1997, Pressure pulse on the magnetosphere-Ionosphere current system, in <u>Magnetospheric Current Systems</u>, AGU Geophys. Mono., 118, 217-226, American Geophysical Union, Washington, D.C., 2000.
- 45. G. Le, C. T. Russell and S. M. Petrinec, The magnetosphere on May 11, 1999, the day the solar wind almost disappeared: I. Current Systems, Geophys. Res. Lett., 27, 1827-1830, 2000.
- 46. G. Le, P. J. Chi, W. Goedecke, C. T. Russell, A. Szabo, S. M. Petrinec, V. Angelopoulos, G. D. Reeves and F. K. Chun, Magnetosphere on May 11, 1999, the day the solar wind almost disappeared: II. Magnetic Pulsations in space and on the ground, <u>Geophys. Res. Lett.</u>, <u>27</u>, 2165-2168, 2000.
- 47. J. R. Wygant, A. Keiling, C. A. Cattell, M. Johnson, R. L. Lysak, M. Temerin, F. S. Mozer, C. A. Kletzing, J. D. Scudder, W. Peterson, C. T. Russell, G. Parks, M. Brittnacher, G. Germany, and J. Spann, Polar spacecraft based comparisons of intense electric fields and Poynting flux near and within the plasma sheet-tail lobe boundary to UVI images: an energy source for the aurora, J. Geophys. Res., 105, 18,675-18,692, 2000.
- 48. R. J. Strangeway, C. T. Russell, C. W. Carlson, J. P. McFadden, R. E. Ergun, M. Temerin, D. M. Klumpar, W. K. Peterson, and T. E. Moore, Cusp field-aligned currents and ion outflows, J. Geophys. Res., 105, 21,129-21,142, 2000.

- 49. A. Keiling, J. R. Wygant, C. Cattell, M. Temerin, F. S. Mozer, C. A. Kletzing, J. Scudder, C. T. Russell, W. Lotko, and A. V. Streltsov, Large Alfvén wave power in the plasma sheet boundary layer during the expansion phase of substorms, <u>Geophys. Res. Lett.</u>, <u>27</u>, 3169-3172, 2000.
- 50. C. T. Russell, Y. L. Wang, J. Raeder, R. L. Tokar, C. W. Smith, K. W. Ogilvie, A. J. Lazarus, R. P. Lepping, A. Szabo, H. Kawano, T. Mukai, S. Savin, Y. I. Yermolaev, X-Y. Zhou, and B. T. Tsurutani, The interplanetary shock of September 24, 1998: Arrival at Earth, J. Geophys. Res., 105, 25,143-25,154, 2000.
- 51. W. K. Peterson, P. K. Toivanen, X. Li, D. N. Baker, A. Keiling, J. Wygant, C. A. Kletzing, and C. T. Russell, Polar observations of two pseudo breakup events, Proc. 5<sup>th</sup> International Conference on Substorms. St. Petersburg, Russia, ESA SP-443, 409-412, ESTEC, Noordwijk, 2000.
- 52. C. J. Farrugia, P. E. Sandholt, N. C. Maynard, W.J. Burke, J. D. Scudder, D. M. Ober, J. Moen and C. T. Russell, Pulsating midmorning auroral arcs, filamentation of a mixing region in a flank boundary layer, and ULF waves observed during a Polar-Svalbard conjunction, <u>J. Geophys. Res.</u>, <u>105</u>, 27,531-27,553, 2000.
- 53. X. W. Zhou, C. T. Russell, G. Le, S. A. Fuselier, and J. D. Scudder, Factors controlling the diamagnetic pressure in the polar cusp, <u>Geophys. Res. Lett.</u>, <u>28</u>, 915-918, 2001.
- 54. A. Keiling, J. R. Wygant, C. Cattell, M. Johnson, M. Temerin, F. S. Mozer, C. A. Kletzing, J. Scudder, and C. T. Russell, Properties of large electric fields in the plasma sheet at 4-7 R<sub>E</sub> measured with Polar, J. Geophys. Res., 106, 5779-5798, 2001.
- 55. D. M. Ober, N. C. Maynard, W. J. Burke, W. K. Peterson, J. B. Sigwarth, L. A. Frank, J. D. Scudder, W. J. Hughes, and C. T. Russell, Electrodynamics of the poleward auroral border observed by Polar during a substorm on April 22, 1998, <u>J. Geophys. Res.</u>, <u>106</u>, 5927-5943, 2001.
- 56. C. T. Russell, J. G. Luhmann, and G. Lu, Nonlinear response of the polar ionosphere to large values of the interplanetary electric field, J. Geophys. Res., 106, 18,495-18,504, 2001.
- 57. F. R. Fenrich, J. G. Luhmann, J. A. Fedder, S. P. Slinker, and C. T. Russell, A global MHD and empirical magnetic field model investigation of the magnetospheric cusp, <u>J. Geophys. Res.</u>, <u>106</u>, 18,789-18,802, 2001.
- 58. P. J. Chi, C. T. Russell, J. Raeder, E. Zesta, K. Yumoto, H. Kawano, K. Kitamura, S. M. Petrinec, V. Angelopoulos, G. Le, and M. B. Moldwin, Propagation of the preliminary reverse impulse of sudden commencements to low latitudes, <u>J. Geophys. Res.</u>, <u>106</u>, 18,857-18,864, 2001.
- 59. P. Song, J. U. Kozyra, M. O. Chandler, C. T. Russell, W. K. Peterson, K. J. Trattner, R. H. W. Friedel, J.-H. Shue, T. E. Moore, K. W. Ogilvie, R. P. Lepping, and D. J. McComas,

- Polar observations and model predictions during May 4, 1998, magnetopause, magnetosheath, and bow shock crossings, <u>J. Geophys. Res.</u>, <u>106</u>, 18,927-18,942, 2001.
- 60. G. J. Fowler, and C. T. Russell, Geomagnetic field response along the Polar orbit to rapid changes in the solar wind dynamic pressure, <u>J. Geophys. Res.</u>, <u>106</u>, 18,943-18,956, 2001.
- 61. P. Janhunen, A. Olsson, W. K. Peterson, H. Laakso, J. S. Pickett, T. I. Pulkkinen, and C. T. Russell, A study of inverted-V auroral acceleration mechanisms using Polar/Fast Auroral Snapshot conjunctions, J. Geophys. Res., 106, 18,995-19,011, 2001.
- 62. G. Le, X. Blanco-Cano, C. T. Russell, X.-W. Zhou, F. Mozer, K. J. Trattner, S. A. Fuselier, and B. J. Anderson. Electromagnetic ion cyclotron waves in the high-altitude cusp: Polar observations, J. Geophys. Res., 106, 19,067-19,079, 2001.
- 63. S.-W. Chang, J. D. Scudder, K. Kudela, H. E. Spence, J. F. Fennell, R. P. Lepping, R. P. Lin, and C. T. Russell, MeV magnetosheath ions energized at the bow shock, <u>J. Geophys. Res.</u>, 106, 19,101-19,115, 2001.
- 64. C. Cattell, J. Dombeck, A. Keiling, J. Wygant, R. Bergmann, M. K. Hudson, C. Kletzing, F. S. Mozer, M. Temerin, I. Roth and G. Parks, Comparison of solitary waves and wave packets observed at plasma sheet boundary to results from the auroral zone, *Phys. Chem. Earth*, 26, 97-106, 2001.
- 65. G. Le, J. Raeder, C. T. Russell, G. Lu, S. M. Petrinec, and F. S. Mozer, Polar cusp and vicinity under strongly northward interplanetary magnetic field on April 11, 1997: Observations and MHD simulations, <u>J. Geophys. Res.</u>, <u>106</u>, 21,083-21,093, 2001.
- 66. S. Topliss, A. Johnstone, A. Coates, W. K. Peterson, C. A. Kletzing, and C. T. Russell, Charge neutrality and ion conic distributions at the equatorward electron edge of the midaltitude cusp, J. Geophys. Res., 106, 21,095-21,108, 2001.
- 67. T. G. Onsager, J. D. Scudder, M. Lockwood, and C. T. Russell, Reconnection at the high-latitude magnetopause during northward interplanetary magnetic field conditions, <u>J. Geophys. Res.</u>, <u>106</u>, 25,467-25,488, 2001.
- 68. V. K. Henize, P. H. Reiff, A. L. Urquhart, F. R. Toffoletto, and C. T. Russell, Comparison of magnetic field models to magnetospheric cusp positions observed by the Polar magnetometer, J. Geophys. Res., 106, 25,557-25,569, 2001.
- 69. A. Keiling, J. R. Wygant, C. Cattell, K.-H. Kim, C. T. Russell, D. K. Milling, M. Temerin, F. S. Mozer, and C. A. Kletzing, Pi2 pulsations observed with the Polar satellite and ground stations: Coupling of trapped and propagating fast mode waves to a midlatitude field line resonance, J. Geophys. Res., 106, 25,891-25,904, 2001.

# Presentations at Meetings (10/1/1998 – 10/1/2001)

- 87. J. A. Newbury, C. T. Russell, M. Gedalin, F. S. Mozer and J. Wygant, Fine scale electric and magnetic bow shock structure: POLAR observations, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F713, 1998.
- 88. S. P. Slinker, J. A. Fedder, J. G. Lyon, C. T. Russell, R. Fenrich, J. G. Luhmann and N. A. Tsyganenko, Modeling POLAR-MFE measurements by MHD simulations: comparisons and itnerpretations, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F752, 1998.
- 89. P. Janhunen, A. Olsson, H. Laakso, W. K. Peterson, J. D. Scudder, C. W. Carlson, F. S. Mozer and C. T. Russell, O-shaped potential: A new way to look at auroral acceleration, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F763, 1998.
- 90. J. H. Clemmons, F. S. Mozer, H. Laakso, R. F. Pfaff Jr., P. J. Chi and C. T. Russell, Electric ULF waves measured by the Polar spacecraft, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F767, 1998.
- 91. M. M. Huddleston, J. L. Burch, D. L. Damsey, D. A. Gurnett, T. E. Moore, W. K. Peterson, C. J. Pollock, C. T. Russell, M. P. Wuest and D. T. Young, Transversely accelerated auroral ions observed at high altitude by instruments on the Polar spacecraft, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F769, 1998.
- 92. N. A. Tsyganenko, G. Le, C. T. Russell and T. Iyemori, (No title) presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F771, 1998.
- 93. X. W. Zhou, C. T. Russell, G. Le, S. A. Fuselier, J. D. Scudder, F. R. Fenrich, J. G. Luhmann and J. A. Fedder, Solar wind and dipole tilt control of the Polar cusp, presented at the Fall AGU meeting, (abstract) *Eos*, *Trans. AGU*, 79(45), Fall Meeting Suppl., F771, 1998.
- 94. B. J. Anderson, C. T. Russell, C. A. Cattell and S. A. Fuselier, Electromagnetic waves from 0.1 to 4 Hz observed by Polar in the magnetosphere, high-altitude cusp, and Polar cap, presented at the Fall AGU meeting, (abstract) *Eos, Trans. AGU*, 79(45), Fall Meeting Suppl., F772, 1998.
- 95. G. Le, C. T. Russell, D. E. Huddleston, R. J. Strangeway and F. Konstantindis, POLAR observations of Ion cyclotron waves in the cusp, presented at the Fall AGU meeting, (abstract) *Eos*, *Trans. AGU*, 79(45), Fall Meeting Suppl., F772, 1998.
- 96. P. J. Chi, C. T. Russell, G. Le and J. H. Clemmons, High-latitude ULF waves observed by the POLAR spacecraft, presented at the Fall AGU meeting, (abstract) *Eos. Trans. AGU*, 79(45), Fall Meeting Suppl., F777, 1998.

- 97. Kawano, H., G. Le and C. T. Russell, Statistical analysis of substorm effects in the polar magnetosphere, 104<sup>th</sup> Society of Geomagnetism and Planetary and Space Sciences, Fall meeting 1998.
- 98. C. A. Cattell, K. Sigsbee, A. Bowser, W. Peria, C. W. Carlson, M. Temerin, J. McFadden, R. Ergun, F. S. Mozer, R. Strangeway, G. Le, C. T. Russell and R. Elphic, FAST and Polar observations of field-aligned currents and convection electric fields during ISTP CME events, presented at the AGU Chapman Conference on Magnetospheric Current Systems, Kona, Hawaii, January 1999.
- 99. C. T. Russell, X-W. Zhou, P. Chi, J. Raeder, R. J. Strangeway, H. J. Singer, H. Kawano, T. E. Moore, W. K. Peterson, J. B. Cladis and E. Zesta, The response of the magnetosphere to the sudden impulse of Sept. 24, 1998, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S244, 1999.
- 100. R. J. Strangeway, C. T. Russell, D. M. Klumpar, C. W. Carlson, J. P. McFadden, R. E. Ergun, R. C. Elphic, T. E. Moore and W. K. Peterson, Observations of intense ion outflows and cusp-region field-aligned currents during the Sept. 24<sup>th</sup> and 25<sup>th</sup> 1998 magnetic storm, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S245, 1999.
- 101. E. Zesta, P. J. Chi, C. T. Russell, J. Raeder, G. Le, K. Yumoto, H. Kawano, K. Kitamura, V. Angelopoulos and M. Moldwin, The response of the magnetosphere to an interplanetary shock: Ground-based observations of the sudden impulse on Sept. 24, 1998, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S245, 1999.
- 102. W. K. Peterson, J. B. Cladis, O. W. Lennartsson, H. L. Colin, T. E. Moore, C. T. Russell, C. A. Kletzing, N. C. Maynard and G. Lu, Energization and escape of O<sup>+</sup> into the Earth's polar cap and magnetotail, presented at the Spring AGU Meeting (abstract) *Eos Trans.* AGU, 80(17), Spring Meet. Suppl., S249, 1999.
- 103. J. Raeder, C. T. Russell, P. Chi and H. J. Singer, Global simulation of the response of Earth's magnetosphere of the Sept. 24, 1998, interplanetary shock, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S249, 1999.
- 104. S. A. Fuselier, K. J. Trattner, S. M. Petrinec, C. T. Russell and G. Le, Cusp observations of high- and low-latitude reconnection for northward IMF, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S282, 1999.
- 105. S-W. Chang, J. D. Scudder, J. F. Fennell, R. Friedel, C. T. Russell, R. P. Lepping and H. E. Spence, Observations of energetic ions in the magnetosheath on May 4, 1998, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S283, 1999.

- 106. X. Blanco-Cano, G. Le, C. T. Russell, R. J. Strangeway, S. A. Fuselier, K. J. Trattner and B. J. Anderson, Ion cyclotron waves in the polar cusp, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S284, 1999.
- 107. J-H. Shue, P. Song, C. T. Russell, M. F. Thomsen, Dependence of the magnetopause erosion on southward IMF, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S285, 1999.
- 108. X-W. Zhou, C. T. Russell, J. Newbury, J. H. Shue, P. Song, S. M. Petrinec, J. Wygant, J. D. Scudder, F. S. Mozer and J. G. Luhmann, The extreme compression of the magnetosphere of May 4, 1998, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S288, 1999.
- 109. F. R. Wygant, C. A. Cattell, A. Keiling, F. Mozer, M. Temerin, W. K. Peterson, K. Trattner, J. Scudder, C. T. Russell and N. Maynard, Observations of intense electric field structures at the May 4, 1998 magnetopause crossings, presented at the Spring AGU Meeting (abstract) Eos Trans. AGU, 80(17), Spring Meet. Suppl., S288, 1999.
- 110. J. U. Kozyra, P. Song, M. O. Chandler, T. E. Moore, C. T. Russell, S. S. Stahara, J. R. Spreiter and J. H. Shue, POLAR magnetosheath observations on May 4, 1998, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S288, 1999.
- 111. J. D. Scudder, P. Puhl-Quinn, F. S. Mozer, J. Wygant and C. T. Russell. The generalized walen tests throughout the May 4, 1998 magnetopause traverses, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S289, 1999.
- 112. G. Le, J. Raeder, C. T. Russell, G. Lu, S. M. Petrinec and S. A. Fuselier, Polar cusp region under strongly northward IMF: POLAR observations and MHD simulations on April 11, 1997, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S289, 1999.
- 113. A. D. Keiling, J. Wygant, C. Cattell, M. Temerin, F. Mozer, C. Kletzing, J. Scudder, C. T. Russell and W. Lotko, Electric and magnetic field observations in the plasma sheet boundary layer at 4-6 R<sub>E</sub> by Polar, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S300, 1999.
- 114. X. Cao, J. D. Scudder, F. S. Mozer, J. D. Menietti and C. T. Russell, Electron temperatures in the plasmasphere using polar plasma, electric and plasma wave data, presented at the Spring AGU Meeting (abstract) *Eos Trans. AGU*, 80(17), *Spring Meet. Suppl.*, S311, 1999.
- 115. T. E. Moore, M. O. Chandler, M. R. Collier, H. L. Collin, R. Fitzenreiter, B. L. Giles, W. K. Peterson, C. J. Pollock and C. T. Russell, Ionospheric outflow response to solar wind conditions, presented at the European Geophysical Society meeting, Den Haag, April, 1999.

- 116. B. M. Popielawska, G. Gustafsson, A. Pedersen, C. T. Russell and K. Stasiewicz, Cusp distortions near the potential antiparallel merging site, presented at the European Geophysical Society meeting, Den Haag, April, 1999.
- 117. C. T. Russell, P. J. Chi, J. Raeder, R. J. Strangeway, J. G. Luhmann, T. E. Moore and W. Peterson, SI effects on the magnetosphere: Overview of Sept. 24, 1998 Events, presented at the GEM Meeting, Snowmass, CO, June 1999.
- 118. C. T. Russell, X-W. Zhou, C. Farrugia, J-H. Shue, P. Song, S. M. Petrinec, J. Wygant, J. D. Scudder and J. G. Luhmann, The extreme compression of the magnetosphere of May 4, 1998, presented at the GEM Meeting, Snowmass, CO, June 1999.
- 119. C. T. Russell, X-W. Zhou, P. J. Chi, J. Raeder, R. J. Strangeway, H. J. Singer, H. Kawano, T. E. Moore, W. K. Peterson, J. B. Cladis and E. Zesta, Response of the magnetosphere to the sudden impulse of September 24, 1998, presented at the GEM Meeting, Snowmass, CO, June 1999.
- 120. D. Ober, N. C. Maynard, W. J. Burke, J. Moen, A. Egeland, P. E. Sandholt, C. J. Farrugia, E. J. Weber, J. D. Scudder and C. T. Russell, Mapping ionospheric auroral features associated with the prenoon boundary layer to the magnetosphere, presented at the GEM Meeting, Snowmass, CO, June 1999.
- 121. Y. Wang, J. Raeder, C. T. Russell, R. P. Lepping, C. Smith and S. Kokubun, Determination of the interplanetary shock normal and propagation from multipoint observations of September 24, 1998 Event, presented at the GEM Meeting, Snowmass. CO, June 1999.
- 122. H. Kawano, R. Nakamura, S. Kokubun, T. Mukai, K. Yumoto and J. A. Slavin, Motion of the near-tail magnetopause, presented at the GEM Meeting, Snowmass, CO, June 1999.
- 123. S. Savin, S. Klimov, M. Nozrdachev, S. Romanov, Yu, Yermolaev, V. Romanov, J. Blecki, J. Juchniewicz, R. Wronowski, J. Buechner, B. Nikutowski, A. Otto, C. T. Russell, K. Stasiewicz and P. Triska, On the nature of the strong turbulence over cusp/cleft, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 124. M. Engebretson, J. Posch, B. Anderson, W. J. Hughes H. Fukunishi and C. T. Russell, What controls the occurrence of dayside Pc 1-2 pulsations? presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 125. B. J. Anderson, C. T. Russell, R. Pfaff, C. A. Cattell and S. A. Fuselier, Electromagnetic waves from 0.1 to 4 Hz observed by polar, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 126. C. T. Russell, X-W. Zhou, G. Le, S. Fuselier and J. Scudder, Factors controlling the location of the polar cusp: Dipole tilt, IMF orientation and solar wind pressure, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.

- 127. J. D. Scudder, P. Puhl-Quinn, F. S. Mozer, N. C. Maynard and C. T. Russell, The fingerprint of collisionless reconnection, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 128. J. A. Newbury, C. T. Russell, M. Gedalin, A. J. Hull, F. S. Mozer and J. Wygant, Polar observations of electric and magnetic field bow shock structure, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 129. A Keiling, J. R. Wygant, C. Cattell, M. Johnson, M. Temerin, F. S. Mozer, C. A. Kletzing, J. D. Scudder, W. Peterson, C. T. Russell, G. Parks, M. Brittnacher and W. Lotko, Polar observations of intense electric fields and Poynting flux near the plasma sheet-tail lobe boundary at high altitude. presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 130. C. T. Russell, P. Chi, G. Le, J. Raeder and R. J. Strangeway, H. Kawano, T. E. Moore and W. K. Peterson, The response of the magnetosphere to an interplanetary shock: The magnetospheric compression on September 24, 1996, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 131. T. E. Moore, B. L. Giles, M. O. Chandler, M. R. Collier, H. I. Collin, R. Fitzenreiter, W. K. Peterson, C. J. Pollock, C. T. Russell and R. J. Strangeway, Polar ionospheric outflow response to solar wind conditions at 2-9 R<sub>E</sub>, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 132. J. B. Cladis, H. I. Collin, W. K. Peterson, T. E. Moore and C. T. Russell, Centrifugal acceleration of ions observed on Polar spacecraft near 9 R<sub>E</sub> over polar cap upon arrival of CME-driven shock, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 133. R. J. Strangeway, C. T. Russell, D. M. Klumpar, C. W. Carlson, J. P. McFadden, R. E. Ergun, T. E. Moore, W. K. Peterson, Fast observations during the September 24<sup>th</sup> and 25<sup>th</sup> 1998 magnetic storm, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 134. P. Chi, G. Le, J. Raeder, C. T. Russell, E. Zesta, K. Yumoto, H. Kawano, K. Kitamura, V. Angelopoulos and M. Moldwin, The response of the magnetosphere to an interplanetary shock: Groundbased observations of the sudden impulse on September 24, 1998, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 135. J. Raeder and C. T. Russell, The response of the magnetosphere to an interplanetary shock: Global simulations of the September 24, 1998 Sudden impulse event, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 136. P. J. Chi, C. T. Russell, G. Le and J. H. Clemmons, High-latitude ULF waves observed by the polar spacecraft, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.

- 137. C. Cattell, A. Bowser, C. McBrady, K. Sigsbee, J. Wygant, C. Carlson, R. Ergun, J. McFadden, F. Mozer, W. Peria, G. Le, C. Russell, R. Strangeway, R. Elphic, M. Brittnacher and G. Parks, FAST and POLAR observations of the polar cap boundary, field-aligned currents and convection electric fields during CME events, presented at IUGG XXII General Assembly, Birmingham, U.K., July, 1999.
- 138. C. T. Russell, The polar cusp, presented at the Cluster II Workshop on Multiscale/Multipoint Plasma Measurements, London, September, 1999.
- 139. Y. L. Wang, C. T. Russell, J. Raeder, C. W. Smith, D. J. McComas, K. W. Ogilvie, R. Fitzenreiter, R. P. Lepping, A Szabo, H. Kawano, T. Mukai, S. Savin and Y. Yermolaev, The arrival of the September 24, 1998 interplanetary shock at Earth, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F809, 1999.
- 140. G. Fowler, C. T. Russell and G. Le, Polar obsrvations of the effects of interplanetary shocks throughout the terrestrial magnetosphere, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F809, 1999.
- 141. S. Savin, N. C. Maynard, C. T. Russell, P. Song, I. Sandahl, H. Kawano, L. Zelenyi, V. S. Romanov, W. K. Peterson, A. Skalsky, E. Dubinin, A. Yu Grigor'ev and J. Blecki, Turbulent boundary layer in exterior cusp and tail: IACG Campaign 2 results, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F862, 1999.
- 142. G. Le and C. T. Russell, POLAR Magnetic field observations of the magnetosphere on May 11, 1999, the day the solar wind almost disappeared, presented at the Fall AGU Meeting, (abstract) Eos Trans. AGU, 80(46), Fall Meeting Suppl., F864, 1999.
- 143. H. Kawano, G. Le, C. T. Russell, J. Raeder, G. Rostoker, R. Yamaguchi, K. Yumoto, Statistical analysis of magnetic signatures of substorms in the Polar magnetosphere, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F887, 1999.
- 144. D. M. Ober, N. C. Maynard, W. J. Burke, W. K. Peterson, J. D. Scudder and C. T. Russell, Electrodynamics of the poleward auroral border during the April 22, 1997 substorm expansion, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F887, 1999.
- 145. J. Rae, M. Lester, M. Grande, J. Scudder, T. A. Fritz and C. T. Russell, Pulsed cusp particles and their ionospheric flow signatures, presented at the Fall AGU Meeting, (abstract) *Eos Trans. AGU*, 80(46), *Fall Meeting Suppl.*, F900, 1999.
- 146. Y. L. Wang, C. T. Russell and J. Raeder, Predicting the time of arrival of interplanetary shocks, presented at AGU Chapman Conference on Space Weather, Clearwater Florida, March, 2000.

- 147. G. Fowler and C. T. Russell, Magnetospheric response to interplanetary shocks, presented at AGU Chapman Conference on Space Weather, Clearwater Florida, March, 2000.
- 148. C. T. Russell, G. Lu and J. G. Luhmann, Can ring current injection be predicted from the AE index? presented at AGU Chapman Conference on Space Weather, Clearwater Florida, March, 2000.
- 149. C. T. Russell, G. Lu and J. G. Luhmann, Can the polar cap potential drop be predicted from the interplanetary electric field? presented at AGU Chapman Conference on Space Weather, Clearwater Florida, March, 2000.
- 150. E. Dubinin, A. Skalsky, P. Song, S. Savin, J. U. Kozyra, T. E. Moore, C. T. Russell, A. Fedorov, J.-A. Savaud and M. O. Chandler, Polar-Interball coordinated observations of plasma characteristics in the Northern and Southern distant cusps, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S376, 2000.
- 151. G. Le and C. T. Russell, A study of the morphology of the ring current using combined magnetic field data set from Polar, ISEE and AMPTE/CCE spacecraft, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S388, 2000.
- 152. J. G. Luhmann, C. T. Russell and G. Lu, Can the Polar cap potential drop be predicted from the interplanetary electric field? presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S392, 2000.
- 153. J. L. Posch, M. J. Engebretson, W. J. Hughes, D. H. Lee, C. T. Russell, L. J. Lanzerotti, M. J. Jarvis and R. K. Cobian, Multi-station observations of ULF pulsations during the GEM storm intervals, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S392, 2000.
- 154. P. J. Chi, C. T. Russell, M. F. Thomsen, W. K. Peterson and S. M. Petrinec. Multi-point observations of the magnetospheric plasma density during the Sept. 1998 magnetic storm, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S401, 2000.
- 155. C. T. Russell, G. Lu and J. G. Luhmann, Can ring current injection be predicted from the AE index? presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S401, 2000.
- 156. J. D. Scudder, F. S. Mozer, N. C. Maynard, P. Puhl-Quinn, Z. W. Ma and C. T. Russell, Unmagnetized thermal electrons at the magnetic separator: Hallmark of collisionless magnetic reconnection, presented at the AGU Spring Meeting (abstract) Eos Trans. AGU, 81(19), Suppl., S402, 2000.
- 157. X. W. Zhou, C. T. Russell, J. D. Scudder and S. A. Fuselier The factors controlling the diamagnetic pressure in the Polar cusp, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S403, 2000.

- 158. G. Fowler and C. T. Russell, The response of the magnetospheric magnetic field to sudden compressions of the solar wind as seen by the Polar spacecraft, presented at the AGU Spring Meeting (abstract) *Eos Trans. AGU*, 81(19), Suppl., S405, 2000.
- 159. W. K. Peterson, P. K. Toivanen, X. Li, D. N. Baker, A. Keiling, J. Wygant, C. A. Kletzing and C. T. Russell, POLAR Observations at two pseudo breakup events, presented at Ninth Annual GEM Meeting Snowmass, CO, June 2000.
- 160. G. Fowler, C. T. Russell and X-W. Zhou, The effect of sudden increases in the solar wind dynamic pressure on the magnetospheric magnetic field, presented at Ninth Annual GEM Meeting Snowmass, CO, June 2000.
- 161. G. Le, C. T. Russell and K. Takahashi, A study of the morphology of the ring current using combined magnetic field data set from Polar, ISEE and AMPTE/CCE, presented at Ninth Annual GEM Meeting Snowmass, CO, June 2000.
- 162. J. Posch, M. J. Engebretson, W. J. Hughes, D. H. Lee, C. T. Russell, L. J. Lanzerotti and M. J. Jarvis, Multi-Station observations of ULF pulsations during the GEM storm intervals, presented at Ninth Annual GEM Meeting Snowmass, CO, June 2000.
- 163. C. T. Russell, J. G. Luhmann and G. Lu, On the nonlinear response of the auroral zone and polar cap to the interplanetary electric field, presented at Ninth Annual GEM Meeting Snowmass, CO, June 2000.
- 164. G. Le, C. T. Russell, P. J. Chi, A. Szabo and R. P. Lepping, The state of the magnetosphere on the day the solar wind nearly disappeared, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 165. J.-H. Shue, P. Song, C. T. Russell, M. F. Thomsen and S. M. Petrinec, Dependence of the magnetopause erosion on southward IMF, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 166. C. J. Farrugia, H. J. Singer, D. S. Evans, D. Berdichevsky, J. M. Quinn, J. D. Scudder, C. T. Russell and K.W. Ogilvie, Response of the geophysical environment to the very low density solar wind on May 11, 1999, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 167. C. T. Russell, Multiscale coupling in planetary magnetospheres, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 168. M. Mogilevsky, S. Savin, T. Romantsova, S. Klimov, S. Romanov, A. Skalsky, M. Nozdrachev, V. Romanov, J. Pickett, R. Anderson, J. Rustenbach, J. Hanasz, J. Blecki, C. T. Russell, S. Perraut, U. Auster and K.-H. Foremacon, Wave activity in the inner CUSP/CLEFT region, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.

- 169. S. Savin, L. Zelenyi, A. Skalsky, S. Romanov, E Budnik, S. Klimov, V. Romanov, V. Lutsenko, Y. Yermolaev, N. Maynard, J. Pickett, J. Scudder, I. Sandahl, C. T. Russell, H. Kawano, J. Buechner, B. Nikutowski, J. Safrankova, Z. Nemecek, J. Blecki, E. Amata and M. Ciobanu, Multi-spacecraft tracing of turbulent boundary layer, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 170. S. Savin, P. Song, A. Skalsky, E. Dubinin, N. Borodkova, A. Fedorov, H. Kawano, S. Romanov and C. T. Russell, Magnetosheath/magnetosphere boundary in the cusp region, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 171. E. Dubinin, P. Song, A. Skalsky, S. Savin, C. T. Russell, W. K. Peterson, A. Fedorov, J.-A. Sauvaud, Transient reconnection events in the distant cusp region, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 172. S. Savin, T. Fritz, I. Kirpichev, N. Pissarenko, V. Lutsenko, E. Budnik, A. Skalsky, V.Romanov, J. Chen, B. Finkemeyer, C. T. Russell, I. Sandahl, J. Blecki, R. Wronowski and K. Kudela, Comparison of magnetic fluctuations and energetic particles from Interball-1/Magion-4 and Polar data, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 173. P. Song, J. U. Kozyra, M. O. Chandler, C. T. Russell, W. Peterson, A. Nagy and T. Moore, Polar magnetosheath observations on May 4, 1998, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 174. C. T. Russell, F. R. Fenrich, X. W. Zhou and J. G. Luhmann, The accuracy of present models of the high altitude polar magnetosphere, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 175. V. K. Henize, P. H. Reiff, F. R. Toffoletto and C. T. Russell, Improvements to an analytic terrestrial magnetosphere model using high latitude observations, presented at the 33<sup>rd</sup> COSPAR Scientific Assembly, Warsaw, July, 2000.
- 176. H. Kawano, G. Le, C. T. Russell, J. Raeder, G. Rostoker, R. Yamaguchi, K. Yumoto, and CPMN group, Magnetosphere-ionosphere coupling effects during substorms in the polar magnetosphere, presented at the First S-RAMP Conference, Sapporo, Japan, October 2000.
- 177. S. Savin, L. Zelenyi, A. Skalsky, Y. Yermolaev, V. Romanov, J. Blecki, N. Maynard, C. T. Russell, J. Safrankova, Z. Nemecek, I. Sandahl, H. Kawano, J. Buchner, B. Nitutowski, P. Veltri, and G. Zimbardo, Multi-scale interactions of magnetosheath flow with high latitude magnetopause, presented at the First S-RAMP Conference, Sapporo, Japan, October 2000.
- 178. J. Wygant, A. Keiling, C. A. Cattell, R. Lysak, M. Temerin, F. S. Mozer, C. Kletzing, J. A. Scudder, G. K. Parks, M. Brittnacher, J. Spann, C. T. Russell, W. Peterson, W. Lotko, and A. Streltsov, Polar spacecraft observations of intense electric fields and Alfvenic Poynting flux in the plasma sheet at 4-6 R<sub>E</sub> altitudes: Relation to auroral particle acceleration, presented at the First S-RAMP Conference, Sapporo, Japan, October 2000.

- 179. G. Fowler, and C. T. Russell, Response of the magnetospheric magnetic field to sudden pressure changes in the solar wind, presented at the AGU Fall Meeting (abstract), *Eos. Trans.*, AGU, 81(48), F1003, 2000.
- 180. S. Savin, P. Song, C. T. Russell, N. C. Maynard, I. Sandahl, H. Kawano, A. Skalsky, E. Amata, G. Consolini, F. Marcucci, E. Dubinin, Y. Yermolaev, J. Pickett, J. Blecki, J. L. Rauch, and V. S. Romanov, Disturbed magnetosheath over high latitude magnetoopause, presented at the AGU Fall Meeting (abstract), *Eos. Trans.*, *AGU*, *81*(48), F1014, 2000.
- 181. F. R. Fenrich, J. G. Luhmann, J. A. Fedder, S. Slinker, and C. T. Russell, IMF-By dependence of the polar cusp as determined by a global MHD model, presented at the AGU Fall Meeting (abstract), Eos. Trans., AGU, 81(48), F1024, 2000.
- 182. A. D. Keiling, C. Cattell, J. R. Wygant, M. Temerin, F. Mozer, C. A. Kletzing, J. Scudder, C. T. Russell, W. Lotko, and A. Streltsov, Large alfven wave power during the substorm expansion phase and the global poynting flux distribution at 4-7 R<sub>E</sub>, presented at the AGU Fall Meeting (abstract), Eos. Trans., AGU, 81(48), F1029, 2000.
- 183. K. Mursula, T. Braeysy, K. Niskala, and C. T. Russell, Pearls do not bounce: Comparison of structural EMIC waves on Polar satellite and on ground, presented at European Geophysical Society meeting, Nice, March 2001.
- 184. P. D. Craven, M. O. Chandler, T. E. Moore, F. Mozer and C. T. Russell, A multi-spacecraft/instrument case study of the relationship between the solar wind and ionospheric plasma outflow, presented at European Geophysical Society meeting, Nice, March 2001.
- 185. M. Lockwood, S. E. Milan, T. Onsager, C. H. Perry, J. D. Scudder, C. T. Russell and M. Brittnacher, Multipoint measurements of cusp ion steps, field aligned currents and poleward-moving auroral forms, presented at European Geophysical Society meeting, Nice, March 2001.
- 186. C. T. Russell and G. J. Fowler, Effects of step functions in dynamic pressure on the magnetosphere, presented at European Geophysical Society meeting, Nice, March 2001.
- 187. P. J. Chi and C. T. Russell, Magnetospheric Seismology: A wave travel time approach using data from multiple ground magnetometers, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S345, 2001.
- 188. J. D. Scudder, F. S. Mozer, N. C. Maynard and C. T. Russell, Through the eye of the needle: The separator and its environs, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S345, 2001.
- 189. F. S. Mozer, N. C. Maynard, J. D. Scudder and C. T. Russell, Detection of parallel electric fields near the separator with Polar, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S346, 2001.
- 190. M. Fleishman and C. T. Russell, Interplanetary electric field control of field-aligned

- currents: Polar magnetometer observations, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S126, 2001.
- 191. G. J. Fowler and C. T. Russell, Compression of magnetospheric magnetic field: Quantitative comparison with two models, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S349 2001.
- 192. N. C. Maynard, D. M. Ober, W. J. Burke, J. D Scudder, F. S. Mozer, C. T. Russell, M. Lester, G. L. Siscoe, K. D. Siebert and W. W. White, Temporal/spatial evolution of merging at the dayside magnetopause: Polar observations and comparison to MHD simulation results, presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), S368, 2001.
- 193. J. D. Scudder, F. S. Mozer, N. C. Maynard and C. T. Russell, The electron pressure profile and its implications for the size and location of the ambipolar electric field near the separator on May 29, 1996, presented at the Spring National AGU meeting (abstract), *Eos. Trans. AGU*, 82(20), S375, 2001.
- 194. H. A. Elliott, R. H. Comfort, P. D. Craven, T. E. Moore, M. O. Chandler and C. T. Russell, By what process is Ion outflow driven? presented at the Spring National AGU meeting (abstract), Eos. Trans. AGU, 82(20), 374, 2001.
- 195. M. J. Engebretson, C. T. Russell et al., Pc 1-2 Pulsations in the outer dayside magnetosphere observed by Polar and ground-based magnetometers in Antarctica, presented at the GEM meeting, Snowmass, CO, June 2001.
- 196. M. R. Fleishman and C. T. Russell, Interplanetary electric field control of field-aligned currents: Polar magnetometer observations, presented at the GEM meeting, Snowmass, CO, June 2001.
- 197. G. J. Fowler and C. T. Russell, Compression of the magnetospheric magnetic field: Quantitative comparison with two models, presented at the GEM meeting, Snowmass, CO, June 2001.